



Food and Drug Administration
10903 New Hampshire Avenue
Document Control Room - WQ66-G609
Silver Spring, MD 20993-0002

Zynex Medical Incorporated
% Mr. Jim Arnold
9990 Park Meadows Drive
Lone Tree, Colorado 80124

SEP 20 2011

Re: K111279

Trade/Device Name: Combination Neuromuscular Electrical Stimulator, Interferential Stimulator, and Transcutaneous Electrical Nerve Stimulator, Model NexWave

Regulation Number: 21 CFR 890.5850

Regulation Name: Powered muscle stimulator

Regulatory Class: Class II

Product Code: IPF, GZJ, LHH

Dated: August 11, 2011

Received: August 12, 2011

Dear Mr. Arnold:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you; however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical

device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

A handwritten signature in black ink, appearing to read "For Det. [unclear] M. Melkerson". The signature is slanted and written in a cursive style.

Mark N. Melkerson
Director
Division of Surgical, Orthopedic
And Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



Zynex Medical

9990 Park Meadows Dr
Lone Tree, CO 80124
Main Office: 800-495-6670
Main Fax: 800-495-6695
www.zynexmed.com

INDICATIONS FOR USE

510(k) Number:

Device Name: Combination Neuromuscular Electrical Stimulator, Interferential Stimulator, and Transcutaneous Electrical Nerve Stimulator, Model NexWave.

Indications for Use:

Interferential Mode (IFC)

- Symptomatic relief of chronic intractable pain, post-traumatic and post-surgical pain.

Neuromuscular Electrical Stimulation Mode (NMES)

- Muscle Re-education
- Prevention or Retardation of Disuse Atrophy
- Increasing Local Blood Circulation
- Maintaining or Increasing Range of Motion
- Relaxation of Muscle Spasms

Transcutaneous Electrical Nerve Stimulation Mode (TENS)


- Management and Symptomatic Relief of Chronic Intractable Pain, Post-traumatic and Post-surgical Pain.

Prescription Use (Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____ (21 CFR 801 Subpart C)

Page 4-1


(Division Sign-Off)
Division of Surgical, Orthopedic,
and Restorative Devices

510(k) Number K111279